

## PHP Version 5.2.17

<b>System</b>	Linux webxc03s01 2.6.32-696.18.7.el6.x86_64 #1 SMP Thu Jan 4 17:31:22 UTC 2018 x86_64
<b>Build Date</b>	Feb 12 2016 12:06:33
<b>Server API</b>	CGI/FastCGI
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/etc/php5.ini
<b>Loaded Configuration File</b>	/etc/php.ini/php5.normal.ini
<b>Scan this dir for additional .ini files</b>	/etc/php5.d
<b>additional .ini files parsed</b>	/etc/php5.d/bcmath.ini, /etc/php5.d/dba.ini, /etc/php5.d/dbase.ini, /etc/php5.d/dom.ini, /etc/php5.d/gd.ini, /etc/php5.d/imagick.ini, /etc/php5.d/imap.ini, /etc/php5.d/ioncube5.ini, /etc/php5.d/mbstring.ini, /etc/php5.d/mcrypt.ini, /etc/php5.d/mhash.ini, /etc/php5.d/mssql.ini, /etc/php5.d/mysql.ini, /etc/php5.d/mysqli.ini, /etc/php5.d/odbc.ini, /etc/php5.d/pdo.ini, /etc/php5.d/pdo_mysql.ini, /etc/php5.d/pdo_odbc.ini, /etc/php5.d/pdo_pgsql.ini, /etc/php5.d/pdo_sqlite.ini, /etc/php5.d/pgsql.ini, /etc/php5.d/soap.ini, /etc/php5.d/sqlite.ini, /etc/php5.d/ssh2.ini, /etc/php5.d/suhosin.ini, /etc/php5.d/xmlreader.ini, /etc/php5.d/xmlrpc.ini, /etc/php5.d/xmlwriter.ini, /etc/php5.d/xsl.ini, /etc/php5.d/Zendopt5.ini, /etc/php5.d/zip.ini
<b>PHP API</b>	20041225
<b>PHP Extension</b>	20060613
<b>Zend Extension</b>	220060519
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, data, http, ftp, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This server is protected with the Suhosin Patch 0.9.7  
Copyright (c) 2006 [Hardened-PHP Project](#)

This program makes use of the Zend Scripting Language Engine:  
Zend Engine v2.2.0, Copyright (c) 1998-2010 Zend Technologies  
with the ionCube PHP Loader v10.3.9, Copyright (c) 2002-2019, by ionCube Ltd.  
with Zend Optimizer v3.3.9, Copyright (c) 1998-2009, by Zend Technologies  
with Suhosin v0.9.32.1, Copyright (c) 2007-2010, by [SektionEins GmbH](#)

## Configuration

### PHP Core

Directive	Local Value
allow_call_time_pass_reference	On
allow_url_fopen	On
allow_url_include	Off
always_populate_raw_post_data	Off
arg_separator.input	&
arg_separator.output	&
asp_tags	Off
auto_append_file	no value
auto_globals_jit	Off
auto_prepend_file	no value
browscap	no value
default_charset	no value
default_mimetype	text/html
define_syslog_variables	Off
disable_classes	no value
disable_functions	set_time_limit, dl, psocketopen, openlog, syslog, readlink, symlink, link, proc_open, system, exec, passthru, putenv, leak, popen, shell_exec, proc_close, proc_get_status, proc_n
display_errors	On
display_startup_errors	Off
doc_root	no value
docref_ext	no value

docref_root	no value
enable_dl	Off
error_append_string	no value
error_log	no value
error_prepend_string	no value
error_reporting	85
expose_php	Off
extension_dir	/usr/lib64/php5/modules
file_uploads	On
highlight.bg	#FFFFFF
highlight.comment	#FF8000
highlight.default	#0000BB
highlight.html	#000000
highlight.keyword	#007700
highlight.string	#DD0000
html_errors	On
ignore_repeated_errors	Off
ignore_repeated_source	Off
ignore_user_abort	Off
implicit_flush	Off
include_path	.
log_errors	On
log_errors_max_len	1024
magic_quotes_gpc	Off
magic_quotes_runtime	Off
magic_quotes_sybase	Off
mail.force_extra_parameters	no value
max_execution_time	90
max_file_uploads	20
max_input_nesting_level	64
max_input_time	90
memory_limit	128M
open_basedir	no value
output_buffering	4096
output_handler	no value
post_max_size	33M
precision	14
realpath_cache_size	16K
realpath_cache_ttl	120
register_argc_argv	On
register_globals	Off
register_long_arrays	Off
report_memleaks	On
report_zend_debug	On
safe_mode	Off
safe_mode_exec_dir	no value
safe_mode_gid	Off
safe_mode_include_dir	no value
sendmail_from	no value
sendmail_path	/usr/bin/mailfilter
serialize_precision	100
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
suhosin.log.phpscript.is_safe	Off
track_errors	Off
unserialize_callback_func	no value
upload_max_filesize	32M
upload_tmp_dir	/tmp/
user_dir	no value
variables_order	GPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
y2k_compliance	Off
zend.ze1_compatibility_mode	Off

## bcmath

BCMath support	enabled
----------------	---------

## bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

## calendar

Calendar support	enabled
------------------	---------

## cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.nph	0	0
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

## ctype

ctype functions	enabled
-----------------	---------

## curl

cURL support	enabled
cURL Information	libcurl/7.19.7 NSS/3.27.1 zlib/1.2.3 libidn/1.18 libssh2/1.4.2

## date

date/time support	enabled
"Olson" Timezone Database Version	2010.9
Timezone Database	internal
Default timezone	Europe/Prague

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Prague	Europe/Prague

## dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

## filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

## ftp

FTP support	enabled
-------------	---------

## gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

## gettext

GetText Support	enabled
-----------------	---------

## gmp

gmp support	enabled
GMP version	4.3.1

## hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.12

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

## imagemick

imagemick module	enabled
imagemick module version	3.0.0
imagemick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.7.2-7 2017-03-22 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>
ImageMagick copyright	Copyright (C) 1999-2011 ImageMagick Studio LLC
ImageMagick release date	2017-03-22
ImageMagick	205

<b>number of supported formats:</b>	
<b>ImageMagick supported formats</b>	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVZ, TEXT, TGA, THUMBNAI, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0


## imap

<b>IMAP c-Client Version</b>	2007e
<b>SSL Support</b>	enabled
<b>Kerberos Support</b>	enabled

## ionCube Loader

ionCube Loader developed by ionCube Ltd.

Visit [ioncube.com](http://ioncube.com) for [latest Loaders](#) and [support](#)



<b>Loader version</b>	10.3.9
-----------------------	--------

Directive	Local Value	Master Value
ioncube.loader.encoded_paths	<i>no value</i>	<i>no value</i>

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## libxml

<b>libXML support</b>	active
<b>libXML Version</b>	2.7.6
<b>libXML streams</b>	enabled

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) version</b>	4.4.4
<b>Multibyte regex (oniguruma) backtrack check</b>	On

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	no value	no value
mcrypt.modes_dir	no value	no value

## mhash

MHASH support	Enabled
MHASH API Version	20060101

## mime\_magic

mime_magic support	invalid magic file, disabled
--------------------	------------------------------

Directive	Local Value	Master Value
mime_magic.debug	Off	Off
mime_magic.magicfile	/usr/share/magic.mime	/usr/share/magic.mime

## mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	no value	no value
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

## mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.73
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	Off	Off
mysql.connect_timeout	30	30
mysql.default_host	no value	no value
mysql.default_password	no value	no value
mysql.default_port	3306	3306
mysql.default_socket	no value	no value
mysql.default_user	no value	no value

mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	10	10
mysql.trace_mode	Off	Off

## mysqli

<b>Mysqli Support</b>	<b>enabled</b>	
Client API library version	5.1.73	
Client API header version	5.1.73	
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock	

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## odbc

<b>ODBC Support</b>	<b>enabled</b>	
Active Persistent Links	0	
Active Links	0	
ODBC library	unixODBC	
ODBC_INCLUDE	-I/usr/include	
ODBC_LFLAGS	-L/usr/lib64	
ODBC_LIBS	-lodbc	

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultirl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

## openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 1.0.1e-fips 11 Feb 2013

## pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	<b>enabled</b>
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

## PDO

<b>PDO support</b>	<b>enabled</b>	
PDO drivers	mysql, odbc, pgsql, sqlite, sqlite2	

## pdo\_mysql

PDO Driver for MySQL, client library version	5.1.73
--	--------

## PDO\_ODBC

PDO Driver for ODBC (unixODBC)	enabled
--------------------------------	---------

ODBC Connection Pooling	Enabled, strict matching
-------------------------	--------------------------

## pdo\_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.4.20
Module version	1.0.2
Revision	\$Id: pdo_pgsql.c 293036 2010-01-03 09:23:27Z sebastian \$

## pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	1.0.1 \$Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian \$
SQLite Library	3.6.20

## pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.4.20
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

## pspell

PSpell Support	enabled
----------------	---------

## Reflection

Reflection	enabled
Version	\$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe \$

## session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	no value	no value
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	/tmp/	/tmp/



session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299016 \$
Schema support	enabled

## soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	0	0
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

## SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLElement, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

## standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/bin/mailfilter

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

## suhosin

This server is protected with the Suhosin Extension 0.9.32.1	
Copyright (c) 2006-2007 <a href="#">Hardened-PHP Project</a>	
Copyright (c) 2007-2010 <a href="#">SektionEins GmbH</a>	

Directive	Local Value	Master Value
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[ protected ]	[ protected ]
suhosin.cookie.cryptlist	<i>no value</i>	<i>no value</i>
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1
suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64
suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie.plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emodifier	Off	Off
suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.eval.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.max_depth	0	0
suhosin.filter.action	<i>no value</i>	<i>no value</i>
suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	512	512
suhosin.get.max_vars	100	100
suhosin.mail.protect	0	0
suhosin.memory_limit	0	0
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	10000	10000
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	10000	10000
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[ protected ]	[ protected ]
suhosin.session.cryptraddr	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	On	On

suhosin.session.max_id_length	128	128
suhosin.simulation	Off	Off
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

### tokenizer

Tokenizer Support	enabled
-------------------	---------

### wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

### xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

### xmlreader

XMLReader	enabled
-----------	---------

### xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
open sourced by	Epinions.com

### xmlwriter

XMLWriter	enabled
-----------	---------

### xsl

XSL	enabled
libxslt Version	1.1.34
libxslt compiled against libxml Version	2.9.9
EXSLT	enabled
libxslt Version	1.1.26

### Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled
Zend Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

## zip

Zip	enabled
Extension Version	\$Id: php_zip.c 305848 2010-11-30 11:04:06Z pajoye \$
Zip version	1.8.11
Libzip version	0.9.0

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
dbase

## Environment

Variable	Value
SHELL	/bin/sh
USER	root
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/root
LANG	cs_CZ.UTF-8
HOME	/root
SHLVL	2
LOGNAME	root
_	/usr/sbin/chroot

## PHP Variables

Variable	Value
\$_SERVER["SHELL"]	/bin/sh
\$_SERVER["USER"]	root
\$_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
\$_SERVER["PWD"]	/root
\$_SERVER["LANG"]	cs_CZ.UTF-8
\$_SERVER["HOME"]	/root
\$_SERVER["SHLVL"]	2
\$_SERVER["LOGNAME"]	root
\$_SERVER["_"]	/usr/sbin/chroot
\$_SERVER["PHP_SELF"]	<i>no value</i>
\$_SERVER["REQUEST_TIME"]	1665828003
\$_SERVER["argv"]	Array ( )
\$_SERVER["argc"]	0

## PHP License

<p>This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE</p> <p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.</p> <p>If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact <a href="mailto:license@php.net">license@php.net</a>.</p>
---