

PHP Version 5.3.28

System	Linux webxc03s01 2.6.32-696.18.7.el6.x86_64 #1 SMP Thu Jan 4 17:31:22 UTC 2018 x86_64
Build Date	Sep 1 2015 14:47:33
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php53.ini
Loaded Configuration File	/etc/php.ini/php53.normal.ini
Scan this dir for additional .ini files	/etc/php53.d
Additional .ini files parsed	/etc/php53.d/bcmath.ini, /etc/php53.d/dba.ini, /etc/php53.d/dom.ini, /etc/php53.d/gd.ini, /etc/php53.d/imagick.ini, /etc/php53.d/imap.ini, /etc/php53.d/ioncube53.ini, /etc/php53.d/mbstring.ini, /etc/php53.d/mcrypt.ini, /etc/php53.d/mysql.ini, /etc/php53.d/mysqli.ini, /etc/php53.d/odbc.ini, /etc/php53.d/pdo.ini, /etc/php53.d/pdo_mysql.ini, /etc/php53.d/pdo_odbc.ini, /etc/php53.d/pdo_pgsql.ini, /etc/php53.d/pdo_sqlite.ini, /etc/php53.d/pgsql.ini, /etc/php53.d/soap.ini, /etc/php53.d/sqlite.ini, /etc/php53.d/suhosin.ini, /etc/php53.d/xmlreader.ini, /etc/php53.d/xmlrpc.ini, /etc/php53.d/xmlwriter.ini, /etc/php53.d/xsl.ini, /etc/php53.d/ZendGuard53.ini, /etc/php53.d/zip.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2013 Zend Technologies
 with the ionCube PHP Loader v10.3.9, Copyright (c) 2002-2019, by ionCube Ltd.
 with Zend Guard Loader v3.3, Copyright (c) 1998-2010, by Zend Technologies
 with Suhosin v0.9.32.1, Copyright (c) 2007-2010, by SektorEins GmbH

Configuration

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
-------------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	0	0
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

PHP Version	5.3.28
-------------	--------

Directive	Local Value
allow_call_time_pass_reference	On
allow_url_fopen	On
allow_url_include	Off
always_populate_raw_post_data	Off
arg_separator.input	&
arg_separator.output	&
asp_tags	Off
auto_append_file	no value
auto_globals_jit	Off
auto_prepend_file	no value
browscap	no value
default_charset	no value
default_mimetype	text/html
define_syslog_variables	Off
disable_classes	no value
disable_functions	set_time_limit,dl,pfsockopen,openlog,syslog,readlink,symlink,link,proc_open,system,exec,pass thru,putenv,leak,popen,shell_exec,proc_close,proc_get_status,proc_n
display_errors	On
display_startup_errors	Off
doc_root	no value
docref_ext	no value
docref_root	no value
enable_dl	Off
error_append_string	no value
error_log	no value
error_prepend_string	no value
error_reporting	85
exit_on_timeout	Off
expose_php	Off
extension_dir	/usr/lib64/php53/modules
file_uploads	On
highlight.bg	#FFFFFF
highlight.comment	#FF8000
highlight.default	#0000BB
highlight.html	#000000
highlight.keyword	#007700
highlight.string	#DD0000
html_errors	On
ignore_repeated_errors	Off
ignore_repeated_source	Off
ignore_user_abort	Off
implicit_flush	Off
include_path	.
log_errors	On
log_errors_max_len	1024
magic_quotes_gpc	Off
magic_quotes_runtime	Off
magic_quotes_sybase	Off
mail.add_x_header	Off
mail.force_extra_parameters	no value
mail.log	no value
max_execution_time	90
max_file_uploads	20
max_input_nesting_level	64

max_input_time	90
max_input_vars	10000
memory_limit	128M
open_basedir	<i>no value</i>
output_buffering	4096
output_handler	<i>no value</i>
post_max_size	33M
precision	14
realpath_cache_size	128k
realpath_cache_ttl	120
register_argc_argv	On
register_globals	Off
register_long_arrays	Off
report_memleaks	On
report_zend_debug	On
request_order	<i>no value</i>
safe_mode	Off
safe_mode_exec_dir	<i>no value</i>
safe_mode_gid	Off
safe_mode_include_dir	<i>no value</i>
sendmail_from	<i>no value</i>
sendmail_path	/usr/bin/mailfilter
serialize_precision	100
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	<i>no value</i>
upload_max_filesize	32M
upload_tmp_dir	/tmp/
user_dir	<i>no value</i>
user_ini.cache_ttl	300
user_ini.filename	.user.ini
variables_order	GPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
y2k_compliance	Off
zend.enable_gc	On

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.27.1
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Prague

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Prague	Europe/Prague

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Id: 209a1c3c98c04a5474846e7bbe8ca72054ccfd4f \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	4.3.1

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.12

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagemick

imagemick module	enabled
imagemick module version	3.0.0
imagemick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.7.2-7 2017-03-22 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2011 ImageMagick Studio LLC
ImageMagick release date	2017-03-22
ImageMagick number of supported formats:	205
ImageMagick supported formats	3FR, A, AAI, Ai, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX,

	PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV
--	--

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0

imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled

intl

Internationalization support	enabled
version	1.1.0
ICU version	4.2.1

Directive	Local Value	Master Value
intl.default_locale	no value	no value
intl.error_level	0	0

ionCube Loader

ionCube Loader developed by ionCube Ltd.
 Visit ioncube.com for [latest Loaders](#) and [support](#)



Loader version	10.3.9
----------------	--------

Directive	Local Value	Master Value
ioncube.loader.encoded_paths	no value	no value

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20909
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text application/xhtml+xml)	^(text application/xhtml+xml)

mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled	
mcrypt_filter support	enabled	
Version	2.5.8	
Api No	20021217	
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes	
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream	

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled	
Active Persistent Links	0	
Active Links	0	
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 731e5b87ba42146a687c29995d2dfd8b4e40b325 \$	

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	30	30
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	10	10
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled	
Client API library version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 731e5b87ba42146a687c29995d2dfd8b4e40b325 \$	
Active Persistent Links	0	
Inactive Persistent Links	0	
Active Links	0	

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

mysqlnd

mysqlnd	enabled	
Version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 731e5b87ba42146a687c29995d2dfd8b4e40b325 \$	
Compression	supported	
SSL	supported	

Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a

Client statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0

explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0

com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_deamon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib64
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.32 2012-11-30

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, odbc, pgsql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 731e5b87ba42146a687c29995d2dfd8b4e40b325\$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock

PDO_ODBC

PDO Driver for ODBC (unixODBC)	enabled
ODBC Connection Pooling	Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.4.20
Module version	1.0.2
Revision	\$Id\$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.6.20

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.4.20
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

pspell

PSpell Support	enabled
----------------	---------

Reflection

Reflection	enabled
Version	\$Id: 4af6c4c676864b1c0bfa693845af0688645c37cf\$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	no value	no value

session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp/	/tmp/
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: 02ab7893b36d51e9c59da77d7e287eb3b35e1e32 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	0	0
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id\$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/bin/mailfilter

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

suhosin

This server is protected with the Suhosin Extension 0.9.32.1
 Copyright (c) 2006-2007 [Hardened-PHP Project](#)
 Copyright (c) 2007-2010 [SektionEins GmbH](#)

Directive	Local Value	Master Value
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[protected]	[protected]
suhosin.cookie.cryptlist	<i>no value</i>	<i>no value</i>
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1
suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64
suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie.plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emodifier	Off	Off
suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.eval.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.max_depth	0	0
suhosin.filter.action	<i>no value</i>	<i>no value</i>
suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	512	512
suhosin.get.max_vars	100	100
suhosin.log.file	0	0
suhosin.log.file.name	<i>no value</i>	<i>no value</i>
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	0	0
suhosin.log.script	0	0
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>

suhosin.log.syslog.facility	LOG_LOCAL5	LOG_LOCAL5
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	0	0
suhosin.memory_limit	0	0
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	10000	10000
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	10000	10000
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[protected]	[protected]
suhosin.session.crypthead	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	On	On
suhosin.session.max_id_length	128	128
suhosin.simulation	Off	Off
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.34
libxslt compiled against libxml Version	2.9.9
EXSLT	enabled
libxslt Version	1.1.26

Zend Guard Loader

Zend Guard Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

zip

Zip	enabled
Extension Version	\$Id: b1a1a3628c4ed0ad78fb0cc4a99b06a56aa281c4 \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
SHELL	/bin/sh
USER	root
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/root
LANG	cs_CZ.UTF-8
HOME	/root
SHLV	2
LOGNAME	root
_	/usr/sbin/chroot

PHP Variables

Variable	Value
\$_SERVER["SHELL"]	/bin/sh

_SERVER["USER"]	root
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_SERVER["PWD"]	/root
_SERVER["LANG"]	cs_CZ.UTF-8
_SERVER["HOME"]	/root
_SERVER["SHLVL"]	2
_SERVER["LOGNAME"]	root
SERVER[""]	/usr/sbin/chroot
_SERVER["PHP_SELF"]	<i>no value</i>
_SERVER["REQUEST_TIME"]	1665828003
_SERVER["argv"]	Array ()
_SERVER["argc"]	0

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.