

PHP Version 5.4.45

System	Linux webxc03s01 2.6.32-696.18.7.el6.x86_64 #1 SMP Thu Jan 4 17:31:22 UTC 2018 x86_64
Build Date	Nov 6 2015 11:25:39
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php54.ini
Loaded Configuration File	/etc/php.ini/php54.normal.ini
Scan this dir for additional .ini files	/etc/php54.d
Additional .ini files parsed	/etc/php54.d/bcmath.ini, /etc/php54.d/dba.ini, /etc/php54.d/dom.ini, /etc/php54.d/gd.ini, /etc/php54.d/geoip.ini, /etc/php54.d/http.ini, /etc/php54.d/imagick.ini, /etc/php54.d/imap.ini, /etc/php54.d/ioncube54.ini, /etc/php54.d/mbstring.ini, /etc/php54.d/mcrypt.ini, /etc/php54.d/mysql.ini, /etc/php54.d/mysqli.ini, /etc/php54.d/odbc.ini, /etc/php54.d/pdo_mysql.ini, /etc/php54.d/pdo_odbc.ini, /etc/php54.d/pdo_pgsql.ini, /etc/php54.d/pdsql.ini, /etc/php54.d/soap.ini, /etc/php54.d/suhosin.ini, /etc/php54.d/xmlreader.ini, /etc/php54.d/xmlrpc.ini, /etc/php54.d/xmlwriter.ini, /etc/php54.d/xsl.ini, /etc/php54.d/ZendGuard54.ini, /etc/php54.d/zip.ini
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, http.*, mcrypt.*, mdecrypt.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.4.0, Copyright (c) 1998-2014 Zend Technologies
 with the ionCube PHP Loader + ionCube24 v10.3.9, Copyright (c) 2002-2019, by ionCube Ltd.
 with Zend Guard Loader v3.3, Copyright (c) 1998-2013, by Zend Technologies
 with Suhosin v0.9.38, Copyright (c) 2007-2015, by SektionEins GmbH

Configuration

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

PHP Version	5.4.45
-------------	--------

Directive	Local Value
allow_url_fopen	On
allow_url_include	Off
always_populate_raw_post_data	Off
arg_separator.input	&
arg_separator.output	&
asp_tags	Off
auto_append_file	no value
auto_globals_jit	Off
auto_prepend_file	no value
browscap	no value
default_charset	no value
default_mimetype	text/html
disable_classes	no value
disable_functions	set_time_limit,dl,pfsockopen,openlog,syslog,readlink,symlink,link,proc_open,system,exec,passsthru,putenv,leak,popen,shell_exec,proc_close,proc_get_status,proc_n
display_errors	On
display_startup_errors	Off
doc_root	no value
docref_ext	no value
docref_root	no value
enable_dl	Off
enable_post_data_reading	On
error_append_string	no value
error_log	no value
error_prepend_string	no value
error_reporting	85
exit_on_timeout	Off
expose_php	Off
extension_dir	/usr/lib64/php54/modules
file_uploads	On
highlight.comment	#FF8000
highlight.default	#0000BB
highlight.html	#000000
highlight.keyword	#007700
highlight.string	#DD0000
html_errors	On
ignore_repeated_errors	Off
ignore_repeated_source	Off
ignore_user_abort	Off
implicit_flush	Off
include_path	.
log_errors	On
log_errors_max_len	1024
mail.add_x_header	Off
mail.force_extra_parameters	no value
mail.log	no value
max_execution_time	90
max_file_uploads	20
max_input_nesting_level	64
max_input_time	90
max_input_vars	10000

memory_limit	128M
open_basedir	no value
output_buffering	4096
output_handler	no value
post_max_size	33M
precision	14
realpath_cache_size	128k
realpath_cache_ttl	120
register_argc_argv	On
report_memleaks	On
report zend_debug	On
request_order	no value
sendmail_from	no value
sendmail_path	/usr/bin/mailfilter
serialize_precision	100
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	no value
upload_max_filesize	32M
upload_tmp_dir	/tmp/
user_dir	no value
user_ini.cache_ttl	300
user_ini.filename	.user.ini
variables_order	GPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
zend.detect_unicode	On
zend.enable_gc	On
zend.multibyte	Off
zend.script_encoding	no value

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.27.1
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Prague

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Prague	Europe/Prague

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 05041c5f0094cb46d9b516bd624d593b90cc38f9 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: ad78b4a085153b8c7f4d6db5dc69df40e969c343 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled

FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

geoup

geoup support		enabled
geoup extension version		1.1.0
geoup library version		1005000

Directive	Local Value	Master Value
geoup.custom_directory	<i>no value</i>	<i>no value</i>

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	4.3.1

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

http

HTTP Support	enabled
Extension Version	1.7.5
Registered Classes	HttpUtil, HttpMessage, HttpRequest, HttpRequestPool, HttpRequestDataShare, HttpDeflateStream, HttpInflateStream, HttpResponse, HttpQueryString
Output Handlers	ob_deflatehandler, ob_inflatehandler, ob_etaghandler
Stream Filters	http.chunked_decode, http.chunked_encode, http.deflate, http.inflate

Used Library	Compiled	Linked
libcurl	7.19.7	7.19.7
libevent	disabled	disabled
libz	1.2.3	1.2.3
libmagic	disabled	disabled

Persistent Handles			
Provider	Ident	Used	Free
http_request	N/A	0	0
http_request_datashare	GLOBAL	1	0
http_request_pool	N/A	0	0

Request Methods	
Registered	GET, HEAD, POST, PUT, DELETE, OPTIONS, TRACE, CONNECT, PROPFIND, PROPPATCH, MKCOL, COPY, MOVE, LOCK, UNLOCK, VERSION-CONTROL, REPORT, CHECKOUT, CHECKIN, UNCHECKOUT, MKWORKSPACE, UPDATE, LABEL, MERGE, BASELINE-CONTROL, MKACTION, ACL,
Allowed	(ANY)

Directive	Local Value	Master Value
http.etag.mode	MD5	MD5
http.force_exit	1	1
http.log.allowed_methods	no value	no value
http.log.cache	no value	no value
http.log.composite	no value	no value
http.log.not_found	no value	no value
http.log.redirect	no value	no value
http.only_exceptions	0	0
http.persistent.handles.ident	GLOBAL	GLOBAL
http.persistent.handles.limit	-1	-1
http.request.datashare.connect	0	0
http.request.datashare.cookie	0	0
http.request.datashare.dns	1	1
http.request.datashare.ssl	0	0
http.request.methods.allowed	no value	no value
http.request.methods.custom	no value	no value
http.send.deflate.start_auto	0	0
http.send.deflate.start_flags	0	0
http.send.inflate.start_auto	0	0
http.send.inflate.start_flags	0	0
http.send.not_found_404	1	1

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.12

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagemagick

imagemagick module	enabled
imagemagick module version	3.1.0RC2
imagemagick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.7.2-7 2017-03-22 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2011 ImageMagick Studio LLC
ImageMagick release date	2017-03-22
ImageMagick number of supported formats:	205
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVZ, TEXT, TGA, THUMBNAI, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0

imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled


intl

Internationalization support	enabled
version	1.1.0
ICU version	4.2.1

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0

ionCube Loader

ionCube Loader developed by ionCube Ltd.
Visit ioncube.com for [latest Loaders](#) and [support](#).



This Loader also includes features for real-time error reporting and malware protection. Visit ioncube24.com for more details.

Loader version	10.3.9
ionCube24 features	unconfigured

Directive	Local Value	Master Value
ic24.api.log_msg_errors	0	0
ic24.api.max_timeout	7	7
ic24.api.access_key	*****	*****
ic24.api.check_ip	1	1
ic24.enable	0	0
ic24.home_dir	<i>no value</i>	<i>no value</i>
ic24.phperr.enable	auto	auto
ic24.phperr.ignore	0	0
ic24.sec.block_stdin	1	1
ic24.sec.block_uploaded_files	1	1
ic24.sec.enable	auto	auto
ic24.sec.exclusion_key	*****	*****
ic24.sec.initial_action	block	block
ic24.sec.initial_cache_all	1	1
ic24.sec.initial_notify	always	always
ic24.sec.initial_state	1	1
ic24.sec.stop_on_error	1	1
ic24.sec.trusted_include_paths	*****	*****
ic24.slt	7	7
ic24.update_domains_retry_interval	30	30
ioncube.loader.encoded_paths	<i>no value</i>	<i>no value</i>

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20909
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
------------------------------------	---------

Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text application/xhtml+xml)	^(text application/xhtml+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.10 - 20111026 - \$Id: c85105d7c6f7d70d609bb4c000257868a40840ab \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	30	30
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	10	10
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	mysqlnd 5.0.10 - 20111026 - \$Id: c85105d7c6f7d70d609bb4c000257868a40840ab \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>

mysql.default_socket	no value	no value
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.10 - 20111026 - \$Id: c85105d7c6f7d70d609bb4c000257868a40840ab \$
Compression	supported
SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqlnd,example,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password
API Extensions	mysql,mysqli,pdo_mysql

mysqlnd statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0

rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_strndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0

proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_deamon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

example statistics	
stat1	0
stat2	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib64
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.37 2015-04-28

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	sqlite, mysql, odbc, pgsql

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.10 - 20111026 - \$Id: c85105d7c6f7d70d609bb4c000257868a40840ab \$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock

PDO_ODBC

PDO Driver for ODBC (unixODBC)	enabled
ODBC Connection Pooling	Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.4.20
Module version	1.0.2
Revision	\$Id: 8e4cc97fb53f418d98b489c3e9d722e48446e676 \$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.8.10.2

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.4.20
PostgreSQL(libpq)	PostgreSQL 8.4.20 on x86_64-redhat-linux-gnu, compiled by GCC gcc (GCC) 4.4.7 20120313 (Red Hat 4.4.7-11), 64-bit
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: ba734629367f9671b25202408d13914fa63d8396 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

pspell

PSpell Support	enabled
-----------------------	----------------

Reflection

Reflection	enabled
Version	\$Id: f6367cdb4e3f392af4a6d441a6641de87c2e50c4 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp/	/tmp/
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: 16070fc92ad6f69cebb2d52ad3f02794f833ce39 \$

Schema support	enabled
----------------	---------

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	0	0
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.8.10.2

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/bin/mailfilter

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

suhosin

This server is protected with the Suhosin Extension 0.9.38	수호신
Copyright (c) 2006-2007 Hardened-PHP Project	
Copyright (c) 2007-2015 SektionEins GmbH	

Directive	Local Value	Master Value
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[protected]	[protected]
suhosin.cookie.cryptlist	no value	no value
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1

suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64
suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie.plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emodifier	Off	Off
suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	[protected]	[protected]
suhosin.executor.eval.custom_blacklist	[protected]	[protected]
suhosin.executor.eval.custom_whitelist	[protected]	[protected]
suhosin.executor.eval.whitelist	[protected]	[protected]
suhosin.executor.func.blacklist	[protected]	[protected]
suhosin.executor.func.whitelist	[protected]	[protected]
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	phar://	phar://
suhosin.executor.max_depth	750	750
suhosin.filter.action	<i>no value</i>	<i>no value</i>
suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	512	512
suhosin.get.max_vars	100	100
suhosin.log.file	511	511
suhosin.log.file.name	<i>no value</i>	<i>no value</i>
suhosin.log.file.time	On	On
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	0	0
suhosin.log.script	0	0
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.stdout	0	0
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	0	0
suhosin.memory_limit	0	0
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	1000	1000
suhosin.protectkey	On	On
suhosin.rand.reseed_every_request	Off	Off
suhosin.rand.seedingkey	[protected]	[protected]
suhosin.request.array_index_blacklist	""+<>:()	""+<>:()
suhosin.request.array_index_whitelist	<i>no value</i>	<i>no value</i>
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64

suhosin.request.max_vars	1000	1000
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[protected]	[protected]
suhosin.session.crypthead	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	Off	Off
suhosin.session.max_id_length	128	128
suhosin.simulation	On	On
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_match	<i>no value</i>	<i>no value</i>
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_newlines	100	100
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.34
libxslt compiled against libxml Version	2.9.9
EXSLT	enabled
libxslt Version	1.1.26

Zend Guard Loader

Zend Guard Loader	enabled
License Path	<i>no value</i>
Obfuscation level	0

zip

Zip	enabled
Extension Version	\$Id: 6c872ebfb022206b0cc2a183c7a388c7b6ad8685 \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
SHELL	/bin/sh
USER	root
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/root
LANG	cs_CZ.UTF-8
HOME	/root
SHLVL	2
LOGNAME	root
_	/usr/sbin/chroot

PHP Variables

Variable	Value
\$_SERVER["SHELL"]	/bin/sh
\$_SERVER["USER"]	root
\$_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
\$_SERVER["PWD"]	/root
\$_SERVER["LANG"]	cs_CZ.UTF-8
\$_SERVER["HOME"]	/root
\$_SERVER["SHLVL"]	2
\$_SERVER["LOGNAME"]	root
\$_SERVER["_"]	/usr/sbin/chroot
\$_SERVER["PHP_SELF"]	<i>no value</i>
\$_SERVER["REQUEST_TIME_FLOAT"]	1665828003.2096
\$_SERVER["REQUEST_TIME"]	1665828003
\$_SERVER["argv"]	Array ()
\$_SERVER["argc"]	0

PHP License

<p>This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE</p> <p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.</p>
--

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.