



|  |  |
|--|--|
| <b>System</b>                                  | Linux webxc03s01 2.6.32-696.18.7.el6.x86_64 #1 SMP Thu Jan 4 17:31:22 UTC 2018 x86_64  |
| <b>Build Date</b>                              | Aug 25 2016 11:25:35   |
| <b>Server API</b>                              | CGI/FastCGI  |
| <b>Virtual Directory Support</b>               | disabled   |
| <b>Configuration File (php.ini) Path</b>       | /etc/php55.ini   |
| <b>Loaded Configuration File</b>               | /etc/php.ini/php55.normal.ini  |
| <b>Scan this dir for additional .ini files</b> | /etc/php55.d   |
| <b>Additional .ini files parsed</b>            | /etc/php55.d/bcmath.ini, /etc/php55.d/dba.ini, /etc/php55.d/dom.ini, /etc/php55.d/gd.ini, /etc/php55.d/geoip.ini, /etc/php55.d/http.ini, /etc/php55.d/imagick.ini, /etc/php55.d/imap.ini, /etc/php55.d/ioncube55.ini, /etc/php55.d/ldap.ini, /etc/php55.d/mbstring.ini, /etc/php55.d/mcrypt.ini, /etc/php55.d/mysql.ini, /etc/php55.d/mysqli.ini, /etc/php55.d/odbc.ini, /etc/php55.d/pdo_mysql.ini, /etc/php55.d/pdo_odbc.ini, /etc/php55.d/pdo_pgsql.ini, /etc/php55.d/pgsql.ini, /etc/php55.d/soap.ini, /etc/php55.d/suhosin.ini, /etc/php55.d/xmlreader.ini, /etc/php55.d/xmlrpc.ini, /etc/php55.d/xmlwriter.ini, /etc/php55.d/xsl.ini, /etc/php55.d/ZendGuard55.ini, /etc/php55.d/zip.ini |
| <b>PHP API</b>                                 | 20121113   |
| <b>PHP Extension</b>                           | 20121212   |
| <b>Zend Extension</b>                          | 220121212  |
| <b>Zend Extension Build</b>                    | API220121212,NTS   |
| <b>PHP Extension Build</b>                     | API20121212,NTS  |
| <b>Debug Build</b>                             | no   |
| <b>Thread Safety</b>                           | disabled   |
| <b>Zend Signal Handling</b>                    | disabled   |
| <b>Zend Memory Manager</b>                     | enabled  |
| <b>Zend Multibyte Support</b>                  | provided by mbstring   |
| <b>IPv6 Support</b>                            | enabled  |
| <b>DTrace Support</b>                          | disabled   |
| <b>Registered PHP Streams</b>                  | https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip  |
| <b>Registered Stream Socket Transports</b>     | tcp, udp, unix, udg, ssl, sslv3, sslv2, tls  |
| <b>Registered Stream Filters</b>               | zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*  |

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.5.0, Copyright (c) 1998-2015 Zend Technologies  
 with the ionCube PHP Loader + ionCube24 v10.3.9, Copyright (c) 2002-2019, by ionCube Ltd.  
 with Suhosin v0.9.38, Copyright (c) 2007-2015, by SektorEins GmbH



## Configuration

### bcmath

|                       |                  |                    |                     |
|-----------------------|------------------|--------------------|---------------------|
| <b>BCMath support</b> | enabled          |                    |                     |
|                       | <b>Directive</b> | <b>Local Value</b> | <b>Master Value</b> |
|                       | bcmath.scale     | 0                  | 0                   |

### bz2

|                               |                                  |
|-------------------------------|----------------------------------|
| <b>BZip2 Support</b>          | Enabled                          |
| <b>Stream Wrapper support</b> | compress.bzip2://                |
| <b>Stream Filter support</b>  | bzip2.decompress, bzip2.compress |
| <b>BZip2 Version</b>          | 1.0.5, 10-Dec-2007               |

## calendar

|                  |         |
|------------------|---------|
| Calendar support | enabled |
|------------------|---------|

## cgi-fcgi

| Directive               | Local Value     | Master Value    |
|-------------------------|-----------------|-----------------|
| cgi.check_shebang_line  | 1               | 1               |
| cgi.discard_path        | 0               | 0               |
| cgi.fix_pathinfo        | 1               | 1               |
| cgi.force_redirect      | 1               | 1               |
| cgi.nph                 | 0               | 0               |
| cgi.redirect_status_env | <i>no value</i> | <i>no value</i> |
| cgi.rfc2616_headers     | 0               | 0               |
| fastcgi.logging         | 1               | 1               |

## Core

|             |        |
|-------------|--------|
| PHP Version | 5.5.38 |
|-------------|--------|

| Directive                     | Local Value   |
|-------------------------------|---|
| allow_url_fopen               | On  |
| allow_url_include             | Off   |
| always_populate_raw_post_data | Off   |
| arg_separator.input           | &   |
| arg_separator.output          | &   |
| asp_tags                      | Off   |
| auto_append_file              | <i>no value</i>   |
| auto_globals_jit              | Off   |
| auto_prepend_file             | <i>no value</i>   |
| browscap                      | <i>no value</i>   |
| default_charset               | <i>no value</i>   |
| default_mimetype              | text/html   |
| disable_classes               | <i>no value</i>   |
| disable_functions             | set_time_limit,dl,pfsockopen,openlog,syslog,readlink,symlink,link,proc_open,system,exec,passthru,putenv,leak,popen,shell_exec,proc_close,proc_get_status,proc_n |
| display_errors                | On  |
| display_startup_errors        | Off   |
| doc_root                      | <i>no value</i>   |
| docref_ext                    | <i>no value</i>   |
| docref_root                   | <i>no value</i>   |
| enable_dl                     | Off   |
| enable_post_data_reading      | On  |
| error_append_string           | <i>no value</i>   |
| error_log                     | <i>no value</i>   |
| error_prepend_string          | <i>no value</i>   |
| error_reporting               | 85  |
| exit_on_timeout               | Off   |
| expose_php                    | Off   |
| extension_dir                 | /usr/lib64/php55/modules  |
| file_uploads                  | On  |
| highlight.comment             | #FF8000   |
| highlight.default             | #0000BB   |
| highlight.html                | #000000   |
| highlight.keyword             | #007700   |
| highlight.string              | #DD0000   |
| html_errors                   | On  |
| ignore_repeated_errors        | Off   |
| ignore_repeated_source        | Off   |
| ignore_user_abort             | Off   |
| implicit_flush                | Off   |
| include_path                  | .   |
| log_errors                    | On  |
| log_errors_max_len            | 1024  |
| mail.add_x_header             | Off   |
| mail.force_extra_parameters   | <i>no value</i>   |
| mail.log                      | <i>no value</i>   |
| max_execution_time            | 90  |
| max_file_uploads              | 20  |
| max_input_nesting_level       | 64  |

|                           |                     |
|---------------------------|---------------------|
| max_input_time            | 90                  |
| max_input_vars            | 10000               |
| memory_limit              | 128M                |
| open_basedir              | no value            |
| output_buffering          | 4096                |
| output_handler            | no value            |
| post_max_size             | 33M                 |
| precision                 | 14                  |
| realpath_cache_size       | 128k                |
| realpath_cache_ttl        | 120                 |
| register_argc_argv        | On                  |
| report_memleaks           | On                  |
| report_zend_debug         | On                  |
| request_order             | no value            |
| sendmail_from             | no value            |
| sendmail_path             | /usr/bin/mailfilter |
| serialize_precision       | 100                 |
| short_open_tag            | On                  |
| SMTP                      | localhost           |
| smtp_port                 | 25                  |
| sql.safe_mode             | Off                 |
| sys_temp_dir              | no value            |
| track_errors              | Off                 |
| unserialize_callback_func | no value            |
| upload_max_filesize       | 32M                 |
| upload_tmp_dir            | /tmp/               |
| user_dir                  | no value            |
| user_ini.cache_ttl        | 300                 |
| user_ini.filename         | .user.ini           |
| variables_order           | GPCS                |
| xmlrpc_error_number       | 0                   |
| xmlrpc_errors             | Off                 |
| zend.detect_unicode       | On                  |
| zend.enable_gc            | On                  |
| zend.multibyte            | Off                 |
| zend.script_encoding      | no value            |

## ctype

|                 |         |
|-----------------|---------|
| ctype functions | enabled |
|-----------------|---------|

## curl

|                  |   |
|------------------|---|
| cURL support     | enabled   |
| cURL Information | 7.19.7  |
| Age              | 3   |
| Features         |   |
| AsynchDNS        | No  |
| CharConv         | No  |
| Debug            | No  |
| GSS-Negotiate    | Yes   |
| IDN              | Yes   |
| IPv6             | Yes   |
| krb4             | No  |
| Largefile        | Yes   |
| libz             | Yes   |
| NTLM             | Yes   |
| SPNEGO           | No  |
| SSL              | Yes   |
| SSPI             | No  |
| Protocols        | ftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp |
| Host             | x86_64-redhat-linux-gnu   |
| SSL Version      | NSS/3.27.1  |
| ZLib Version     | 1.2.3   |
| libSSH Version   | libssh2/1.4.2   |

## date

|                                   |         |
|-----------------------------------|---------|
| date/time support                 | enabled |
| "Olson" Timezone Database Version | 2015.5  |

|                   |               |
|-------------------|---------------|
| Timezone Database | internal      |
| Default timezone  | Europe/Prague |

| Directive              | Local Value   | Master Value  |
|------------------------|---------------|---------------|
| date.default_latitude  | 31.7667       | 31.7667       |
| date.default_longitude | 35.2333       | 35.2333       |
| date.sunrise_zenith    | 90.583333     | 90.583333     |
| date.sunset_zenith     | 90.583333     | 90.583333     |
| date.timezone          | Europe/Prague | Europe/Prague |

## dba

|                    |                                   |
|--------------------|-----------------------------------|
| DBA support        | enabled                           |
| Supported handlers | cdb cdb_make db4 inifile flatfile |

| Directive           | Local Value | Master Value |
|---------------------|-------------|--------------|
| dba.default_handler | flatfile    | flatfile     |

## dom

|                     |          |
|---------------------|----------|
| DOM/XML             | enabled  |
| DOM/XML API Version | 20031129 |
| libxml Version      | 2.7.6    |
| HTML Support        | enabled  |
| XPath Support       | enabled  |
| XPointer Support    | enabled  |
| Schema Support      | enabled  |
| RelaxNG Support     | enabled  |

## ereg

|               |                         |
|---------------|-------------------------|
| Regex Library | Bundled library enabled |
|---------------|-------------------------|

## exif

|                        |   |
|------------------------|---|
| EXIF Support           | enabled   |
| EXIF Version           | 1.4 \$Id: 74b652b3ebe78882b8006d49c17cac029fe8a5d0 \$ |
| Supported EXIF Version | 0220  |
| Supported filetypes    | JPEG,TIFF   |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| exif.decode_jis_intel        | JIS             | JIS             |
| exif.decode_jis_motorola     | JIS             | JIS             |
| exif.decode_unicode_intel    | UCS-2LE         | UCS-2LE         |
| exif.decode_unicode_motorola | UCS-2BE         | UCS-2BE         |
| exif.encode_jis              | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode          | ISO-8859-15     | ISO-8859-15     |

## fileinfo

|                  |         |
|------------------|---------|
| fileinfo support | enabled |
| version          | 1.0.5   |

## filter

|                                |   |
|--------------------------------|---|
| Input Validation and Filtering | enabled   |
| Revision                       | \$Id: fbeb8bbbf6cc97f568996dac46e13e48e2907326 \$ |

| Directive            | Local Value     | Master Value    |
|----------------------|-----------------|-----------------|
| filter.default       | unsafe_raw      | unsafe_raw      |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

## ftp

|             |         |
|-------------|---------|
| FTP support | enabled |
|-------------|---------|

## gd

|                           |                            |
|---------------------------|----------------------------|
| <b>GD Support</b>         | enabled                    |
| <b>GD Version</b>         | bundled (2.1.0 compatible) |
| <b>FreeType Support</b>   | enabled                    |
| <b>FreeType Linkage</b>   | with freetype              |
| <b>FreeType Version</b>   | 2.3.11                     |
| <b>GIF Read Support</b>   | enabled                    |
| <b>GIF Create Support</b> | enabled                    |
| <b>JPEG Support</b>       | enabled                    |
| <b>libJPEG Version</b>    | 6b                         |
| <b>PNG Support</b>        | enabled                    |
| <b>libPNG Version</b>     | 1.2.49                     |
| <b>WBMP Support</b>       | enabled                    |
| <b>XBM Support</b>        | enabled                    |

| Directive              | Local Value | Master Value |
|------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0           | 0            |

## geopip

|                                 |  |         |
|---------------------------------|--|---------|
| <b>geopip support</b>           |  | enabled |
| <b>geopip extension version</b> |  | 1.1.0   |
| <b>geopip library version</b>   |  | 1005000 |

| Directive               | Local Value | Master Value |
|-------------------------|-------------|--------------|
| geopip.custom_directory | no value    | no value     |

## gettext

|                        |         |
|------------------------|---------|
| <b>GetText Support</b> | enabled |
|------------------------|---------|

## gmp

|                    |         |
|--------------------|---------|
| <b>gmp support</b> | enabled |
| <b>GMP version</b> | 4.3.1   |

## hash

|                        |   |
|------------------------|---|
| <b>hash support</b>    | enabled   |
| <b>Hashing Engines</b> | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

## iconv

|                              |         |
|------------------------------|---------|
| <b>iconv support</b>         | enabled |
| <b>iconv implementation</b>  | glibc   |
| <b>iconv library version</b> | 2.12    |

| Directive               | Local Value | Master Value |
|-------------------------|-------------|--------------|
| iconv.input_encoding    | ISO-8859-1  | ISO-8859-1   |
| iconv.internal_encoding | ISO-8859-1  | ISO-8859-1   |
| iconv.output_encoding   | ISO-8859-1  | ISO-8859-1   |

## imagemagick

|                                   |  |
|-----------------------------------|--|
| <b>imagemagick module</b>         | enabled  |
| <b>imagemagick module version</b> | 3.1.0RC2   |
| <b>imagemagick classes</b>        | ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator                               |
| <b>ImageMagick version</b>        | ImageMagick 6.7.2-7 2017-03-22 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a> |
| <b>ImageMagick copyright</b>      | Copyright (C) 1999-2011 ImageMagick Studio LLC   |
| <b>ImageMagick release date</b>   | 2017-03-22   |
| <b>ImageMagick number of</b>      | 205  |

|                                      |   |
|--------------------------------------|---|
| <b>supported formats:</b>            |   |
| <b>ImageMagick supported formats</b> | 3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVZ, TEXT, TGA, THUMBNAI, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV |

| Directive                    | Local Value | Master Value |
|------------------------------|-------------|--------------|
| imagemagick.locale_fix       | 0           | 0            |
| imagemagick.progress_monitor | 0           | 0            |

## imap

|                              |         |
|------------------------------|---------|
| <b>IMAP c-Client Version</b> | 2007e   |
| <b>SSL Support</b>           | enabled |
| <b>Kerberos Support</b>      | enabled |

## intl


| Internationalization support | enabled |
|------------------------------|---------|
| version                      | 1.1.0   |
| ICU version                  | 4.2.1   |

| Directive           | Local Value     | Master Value    |
|---------------------|-----------------|-----------------|
| intl.default_locale | <i>no value</i> | <i>no value</i> |
| intl.error_level    | 0               | 0               |
| intl.use_exceptions | 0               | 0               |

## ionCube Loader

ionCube Loader developed by ionCube Ltd.

Visit [ioncube.com](http://ioncube.com) for [latest Loaders](#) and [support](#).



This Loader also includes features for real-time error reporting and malware protection. Visit [ioncube24.com](http://ioncube24.com) for more details.

|                           |              |
|---------------------------|--------------|
| <b>Loader version</b>     | 10.3.9       |
| <b>ionCube24 features</b> | unconfigured |

| Directive                          | Local Value     | Master Value    |
|------------------------------------|-----------------|-----------------|
| ic24.api.log_msg_errors            | 0               | 0               |
| ic24.api.max_timeout               | 7               | 7               |
| ic24.api.access_key                | *****           | *****           |
| ic24.api.check_ip                  | 1               | 1               |
| ic24.enable                        | 0               | 0               |
| ic24.home_dir                      | <i>no value</i> | <i>no value</i> |
| ic24.phperr.enable                 | auto            | auto            |
| ic24.phperr.ignore                 | 0               | 0               |
| ic24.sec.block_stdin               | 1               | 1               |
| ic24.sec.block_uploaded_files      | 1               | 1               |
| ic24.sec.enable                    | auto            | auto            |
| ic24.sec.exclusion_key             | *****           | *****           |
| ic24.sec.initial_action            | block           | block           |
| ic24.sec.initial_cache_all         | 1               | 1               |
| ic24.sec.initial_notify            | always          | always          |
| ic24.sec.initial_state             | 1               | 1               |
| ic24.sec.stop_on_error             | 1               | 1               |
| ic24.sec.trusted_include_paths     | *****           | *****           |
| ic24.slt                           | 7               | 7               |
| ic24.update_domains_retry_interval | 30              | 30              |
| ioncube.loader.encoded_paths       | <i>no value</i> | <i>no value</i> |

## json

|              |         |
|--------------|---------|
| json support | enabled |
| json version | 1.2.1   |

## ldap

|                |   |
|----------------|---|
| LDAP Support   | enabled   |
| RCS Version    | \$Id: 4db15e5bb92af06390fd31ab784837ab21a3d2ce \$ |
| Total Links    | 0/unlimited                                       |
| API Version    | 3001  |
| Vendor Name    | OpenLDAP  |
| Vendor Version | 20440   |

| Directive      | Local Value | Master Value |
|----------------|-------------|--------------|
| ldap.max_links | Unlimited   | Unlimited    |

## libxml

|                         |         |
|-------------------------|---------|
| libXML support          | active  |
| libXML Compiled Version | 2.7.6   |
| libXML Loaded Version   | 20909   |
| libXML streams          | enabled |

## mbstring

|                                 |          |
|---------------------------------|----------|
| Multibyte Support               | enabled  |
| Multibyte string engine         | libmbfl  |
| HTTP input encoding translation | disabled |
| libmbfl version                 | 1.3.2    |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

|   |         |
|---|---------|
| Multibyte (japanese) regex support          | enabled |
| Multibyte regex (oniguruma) backtrack check | On      |
| Multibyte regex (oniguruma) version         | 5.9.2   |

| Directive                           | Local Value                   | Master Value                  |
|-------------------------------------|-------------------------------|-------------------------------|
| mbstring.detect_order               | <i>no value</i>               | <i>no value</i>               |
| mbstring.encoding_translation       | Off                           | Off                           |
| mbstring.func_overload              | 0                             | 0                             |
| mbstring.http_input                 | pass                          | pass                          |
| mbstring.http_output                | pass                          | pass                          |
| mbstring.http_output_conv_mimetypes | ^(text application/xhtml+xml) | ^(text application/xhtml+xml) |
| mbstring.internal_encoding          | <i>no value</i>               | <i>no value</i>               |
| mbstring.language                   | neutral                       | neutral                       |
| mbstring.strict_detection           | Off                           | Off                           |
| mbstring.substitute_character       | <i>no value</i>               | <i>no value</i>               |

## mcrypt

|                       |  |
|-----------------------|--|
| mcrypt support        | enabled  |
| mcrypt_filter support | enabled  |
| Version               | 2.5.8  |
| Api No                | 20021217   |
| Supported ciphers     | cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes |
| Supported modes       | cbc cfb ctr ecb ncfb nofb ofb stream   |

| Directive             | Local Value     | Master Value    |
|-----------------------|-----------------|-----------------|
| mcrypt.algorithms_dir | <i>no value</i> | <i>no value</i> |
| mcrypt.modes_dir      | <i>no value</i> | <i>no value</i> |

## mhash

|                   |                  |
|-------------------|------------------|
| MHASH support     | Enabled          |
| MHASH API Version | Emulated Support |

## mysql

|                                |   |
|--------------------------------|---|
| <b>MySQL Support</b>           | <b>enabled</b>  |
| <b>Active Persistent Links</b> | 0   |
| <b>Active Links</b>            | 0   |
| <b>Client API version</b>      | mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$ |

| Directive                | Local Value     | Master Value    |
|--------------------------|-----------------|-----------------|
| mysql.allow_local_infile | On              | On              |
| mysql.allow_persistent   | Off             | Off             |
| mysql.connect_timeout    | 30              | 30              |
| mysql.default_host       | <i>no value</i> | <i>no value</i> |
| mysql.default_password   | <i>no value</i> | <i>no value</i> |
| mysql.default_port       | 3306            | 3306            |
| mysql.default_socket     | <i>no value</i> | <i>no value</i> |
| mysql.default_user       | <i>no value</i> | <i>no value</i> |
| mysql.max_links          | Unlimited       | Unlimited       |
| mysql.max_persistent     | 10              | 10              |
| mysql.trace_mode         | Off             | Off             |

## mysqli

|                                   |   |
|-----------------------------------|---|
| <b>Mysqli Support</b>             | <b>enabled</b>  |
| <b>Client API library version</b> | mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$ |
| <b>Active Persistent Links</b>    | 0   |
| <b>Inactive Persistent Links</b>  | 0   |
| <b>Active Links</b>               | 0   |

| Directive                 | Local Value     | Master Value    |
|---------------------------|-----------------|-----------------|
| mysqli.allow_local_infile | On              | On              |
| mysqli.allow_persistent   | On              | On              |
| mysqli.default_host       | <i>no value</i> | <i>no value</i> |
| mysqli.default_port       | 3306            | 3306            |
| mysqli.default_pw         | <i>no value</i> | <i>no value</i> |
| mysqli.default_socket     | <i>no value</i> | <i>no value</i> |
| mysqli.default_user       | <i>no value</i> | <i>no value</i> |
| mysqli.max_links          | Unlimited       | Unlimited       |
| mysqli.max_persistent     | Unlimited       | Unlimited       |
| mysqli.reconnect          | Off             | Off             |

## mysqlnd

|                                     |  |
|-------------------------------------|--|
| <b>mysqlnd</b>                      | <b>enabled</b>   |
| <b>Version</b>                      | mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$                                  |
| <b>Compression</b>                  | supported  |
| <b>core SSL</b>                     | supported  |
| <b>extended SSL</b>                 | supported  |
| <b>Command buffer size</b>          | 4096   |
| <b>Read buffer size</b>             | 32768  |
| <b>Read timeout</b>                 | 31536000   |
| <b>Collecting statistics</b>        | Yes  |
| <b>Collecting memory statistics</b> | No   |
| <b>Tracing</b>                      | n/a  |
| <b>Loaded plugins</b>               | mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_sha256_password |
| <b>API Extensions</b>               | mysql,mysqli,pdo_mysql   |

| mysqlnd statistics |   |
|--------------------|---|
| bytes_sent         | 0 |
| bytes_received     | 0 |
| packets_sent       | 0 |
| packets_received   | 0 |



|  |   |
|--|---|
| protocol_overhead_in                       | 0 |
| protocol_overhead_out                      | 0 |
| bytes_received_ok_packet                   | 0 |
| bytes_received_eof_packet                  | 0 |
| bytes_received_rset_header_packet          | 0 |
| bytes_received_rset_field_meta_packet      | 0 |
| bytes_received_rset_row_packet             | 0 |
| bytes_received_prepare_response_packet     | 0 |
| bytes_received_change_user_packet          | 0 |
| packets_sent_command                       | 0 |
| packets_received_ok                        | 0 |
| packets_received_eof                       | 0 |
| packets_received_rset_header               | 0 |
| packets_received_rset_field_meta           | 0 |
| packets_received_rset_row                  | 0 |
| packets_received_prepare_response          | 0 |
| packets_received_change_user               | 0 |
| result_set_queries                         | 0 |
| non_result_set_queries                     | 0 |
| no_index_used                              | 0 |
| bad_index_used                             | 0 |
| slow_queries                               | 0 |
| buffered_sets                              | 0 |
| unbuffered_sets                            | 0 |
| ps_buffered_sets                           | 0 |
| ps_unbuffered_sets                         | 0 |
| flushed_normal_sets                        | 0 |
| flushed_ps_sets                            | 0 |
| ps_prepared_never_executed                 | 0 |
| ps_prepared_once_executed                  | 0 |
| rows_fetched_from_server_normal            | 0 |
| rows_fetched_from_server_ps                | 0 |
| rows_buffered_from_client_normal           | 0 |
| rows_buffered_from_client_ps               | 0 |
| rows_fetched_from_client_normal_buffered   | 0 |
| rows_fetched_from_client_normal_unbuffered | 0 |
| rows_fetched_from_client_ps_buffered       | 0 |
| rows_fetched_from_client_ps_unbuffered     | 0 |
| rows_fetched_from_client_ps_cursor         | 0 |
| rows_affected_normal                       | 0 |
| rows_affected_ps                           | 0 |
| rows_skipped_normal                        | 0 |
| rows_skipped_ps                            | 0 |
| copy_on_write_saved                        | 0 |
| copy_on_write_performed                    | 0 |
| command_buffer_too_small                   | 0 |
| connect_success                            | 0 |
| connect_failure                            | 0 |
| connection_reused                          | 0 |
| reconnect                                  | 0 |
| pconnect_success                           | 0 |
| active_connections                         | 0 |
| active_persistent_connections              | 0 |
| explicit_close                             | 0 |
| implicit_close                             | 0 |
| disconnect_close                           | 0 |
| in_middle_of_command_close                 | 0 |
| explicit_free_result                       | 0 |
| implicit_free_result                       | 0 |
| explicit_stmt_close                        | 0 |
| implicit_stmt_close                        | 0 |
| mem_emalloc_count                          | 0 |
| mem_emalloc_amount                         | 0 |
| mem_ecalloc_count                          | 0 |
| mem_ecalloc_amount                         | 0 |
| mem_erealloc_count                         | 0 |
| mem_erealloc_amount                        | 0 |
| mem_efree_count                            | 0 |
| mem_efree_amount                           | 0 |
| mem_malloc_count                           | 0 |
| mem_malloc_amount                          | 0 |
| mem_calloc_count                           | 0 |

|                                |   |
|--------------------------------|---|
| mem_alloc_amount               | 0 |
| mem_realloc_count              | 0 |
| mem_realloc_amount             | 0 |
| mem_free_count                 | 0 |
| mem_free_amount                | 0 |
| mem_strndup_count              | 0 |
| mem_strndup_count              | 0 |
| mem_estndup_count              | 0 |
| mem_strdup_count               | 0 |
| proto_text_fetched_null        | 0 |
| proto_text_fetched_bit         | 0 |
| proto_text_fetched_tinyint     | 0 |
| proto_text_fetched_short       | 0 |
| proto_text_fetched_int24       | 0 |
| proto_text_fetched_int         | 0 |
| proto_text_fetched_bigint      | 0 |
| proto_text_fetched_decimal     | 0 |
| proto_text_fetched_float       | 0 |
| proto_text_fetched_double      | 0 |
| proto_text_fetched_date        | 0 |
| proto_text_fetched_year        | 0 |
| proto_text_fetched_time        | 0 |
| proto_text_fetched_datetime    | 0 |
| proto_text_fetched_timestamp   | 0 |
| proto_text_fetched_string      | 0 |
| proto_text_fetched_blob        | 0 |
| proto_text_fetched_enum        | 0 |
| proto_text_fetched_set         | 0 |
| proto_text_fetched_geometry    | 0 |
| proto_text_fetched_other       | 0 |
| proto_binary_fetched_null      | 0 |
| proto_binary_fetched_bit       | 0 |
| proto_binary_fetched_tinyint   | 0 |
| proto_binary_fetched_short     | 0 |
| proto_binary_fetched_int24     | 0 |
| proto_binary_fetched_int       | 0 |
| proto_binary_fetched_bigint    | 0 |
| proto_binary_fetched_decimal   | 0 |
| proto_binary_fetched_float     | 0 |
| proto_binary_fetched_double    | 0 |
| proto_binary_fetched_date      | 0 |
| proto_binary_fetched_year      | 0 |
| proto_binary_fetched_time      | 0 |
| proto_binary_fetched_datetime  | 0 |
| proto_binary_fetched_timestamp | 0 |
| proto_binary_fetched_string    | 0 |
| proto_binary_fetched_blob      | 0 |
| proto_binary_fetched_enum      | 0 |
| proto_binary_fetched_set       | 0 |
| proto_binary_fetched_geometry  | 0 |
| proto_binary_fetched_other     | 0 |
| init_command_executed_count    | 0 |
| init_command_failed_count      | 0 |
| com_quit                       | 0 |
| com_init_db                    | 0 |
| com_query                      | 0 |
| com_field_list                 | 0 |
| com_create_db                  | 0 |
| com_drop_db                    | 0 |
| com_refresh                    | 0 |
| com_shutdown                   | 0 |
| com_statistics                 | 0 |
| com_process_info               | 0 |
| com_connect                    | 0 |
| com_process_kill               | 0 |
| com_debug                      | 0 |
| com_ping                       | 0 |
| com_time                       | 0 |
| com_delayed_insert             | 0 |
| com_change_user                | 0 |
| com_binlog_dump                | 0 |
| com_table_dump                 | 0 |

|                                 |   |
|---------------------------------|---|
| com_connect_out                 | 0 |
| com_register_slave              | 0 |
| com_stmt_prepare                | 0 |
| com_stmt_execute                | 0 |
| com_stmt_send_long_data         | 0 |
| com_stmt_close                  | 0 |
| com_stmt_reset                  | 0 |
| com_stmt_set_option             | 0 |
| com_stmt_fetch                  | 0 |
| com_daemon                      | 0 |
| bytes_received_real_data_normal | 0 |
| bytes_received_real_data_ps     | 0 |

## odbc

| ODBC Support            | enabled        |
|-------------------------|----------------|
| Active Persistent Links | 0              |
| Active Links            | 0              |
| ODBC library            | unixODBC       |
| ODBC_INCLUDE            | -I/usr/include |
| ODBC_LFLAGS             | -L/usr/lib64   |
| ODBC_LIBS               | -lodbc         |

| Directive               | Local Value             | Master Value            |
|-------------------------|-------------------------|-------------------------|
| odbc.allow_persistent   | On                      | On                      |
| odbc.check_persistent   | On                      | On                      |
| odbc.default_cursortype | Static cursor           | Static cursor           |
| odbc.default_db         | <i>no value</i>         | <i>no value</i>         |
| odbc.default_pw         | <i>no value</i>         | <i>no value</i>         |
| odbc.default_user       | <i>no value</i>         | <i>no value</i>         |
| odbc.defaultbinmode     | return as is            | return as is            |
| odbc.defaultlrl         | return up to 4096 bytes | return up to 4096 bytes |
| odbc.max_links          | Unlimited               | Unlimited               |
| odbc.max_persistent     | Unlimited               | Unlimited               |

## openssl

|                         |                                 |
|-------------------------|---------------------------------|
| OpenSSL support         | enabled                         |
| OpenSSL Library Version | OpenSSL 1.0.1e-fips 11 Feb 2013 |
| OpenSSL Header Version  | OpenSSL 1.0.1e-fips 11 Feb 2013 |

## pcre

|  |                 |
|--|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled         |
| PCRE Library Version                               | 8.38 2015-11-23 |

| Directive            | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000     | 1000000      |
| pcre.recursion_limit | 100000      | 100000       |

## PDO

|             |                            |
|-------------|----------------------------|
| PDO support | enabled                    |
| PDO drivers | sqlite, mysql, odbc, pgsql |

## pdo\_mysql

|                      |  |
|----------------------|--|
| PDO Driver for MySQL | enabled  |
| Client API version   | mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfad91193dcaee1d2cdd127674ddb3e \$ |

| Directive                | Local Value     | Master Value    |
|--------------------------|-----------------|-----------------|
| pdo_mysql.default_socket | /tmp/mysql.sock | /tmp/mysql.sock |

## PDO\_ODBC

|                                |                          |
|--------------------------------|--------------------------|
| PDO Driver for ODBC (unixODBC) | enabled                  |
| ODBC Connection Pooling        | Enabled, strict matching |

## pdo\_pgsql

|                                  |   |
|----------------------------------|---|
| <b>PDO Driver for PostgreSQL</b> | <b>enabled</b>                                    |
| PostgreSQL(libpq) Version        | 8.4.20  |
| Module version                   | 1.0.2   |
| Revision                         | \$Id: af568c8ae63693bc2b766337bd4731078e62f9b4 \$ |

## pdo\_sqlite

|                                  |                |
|----------------------------------|----------------|
| <b>PDO Driver for SQLite 3.x</b> | <b>enabled</b> |
| SQLite Library                   | 3.8.10.2       |

## pgsql

|                             |   |
|-----------------------------|---|
| <b>PostgreSQL Support</b>   | <b>enabled</b>  |
| PostgreSQL(libpq) Version   | 8.4.20  |
| PostgreSQL(libpq)           | PostgreSQL 8.4.20 on x86_64-redhat-linux-gnu, compiled by GCC gcc (GCC) 4.4.7 20120313 (Red Hat 4.4.7-17), 64-bit |
| Multibyte character support | enabled   |
| SSL support                 | enabled   |
| Active Persistent Links     | 0   |
| Active Links                | 0   |

| Directive                   | Local Value | Master Value |
|-----------------------------|-------------|--------------|
| pgsql.allow_persistent      | On          | On           |
| pgsql.auto_reset_persistent | Off         | Off          |
| pgsql.ignore_notice         | Off         | Off          |
| pgsql.log_notice            | Off         | Off          |
| pgsql.max_links             | Unlimited   | Unlimited    |
| pgsql.max_persistent        | Unlimited   | Unlimited    |

## Phar

|                                  |   |
|----------------------------------|---|
| <b>Phar: PHP Archive support</b> | <b>enabled</b>                                    |
| Phar EXT version                 | 2.0.2   |
| Phar API version                 | 1.1.1   |
| SVN revision                     | \$Id: 17b0affd86ff751cb8e6046d04d91435b53fc6b8 \$ |
| Phar-based phar archives         | enabled   |
| Tar-based phar archives          | enabled   |
| ZIP-based phar archives          | enabled   |
| gzip compression                 | enabled   |
| bzip2 compression                | enabled   |
| Native OpenSSL support           | enabled   |

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
Phar fully realized by Gregory Beaver and Marcus Boerger.  
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive         | Local Value     | Master Value    |
|-------------------|-----------------|-----------------|
| phar.cache_list   | <i>no value</i> | <i>no value</i> |
| phar.readonly     | On              | On              |
| phar.require_hash | On              | On              |

## pspell

|                       |                |
|-----------------------|----------------|
| <b>PSpell Support</b> | <b>enabled</b> |
|-----------------------|----------------|

## Reflection

|                   |   |
|-------------------|---|
| <b>Reflection</b> | <b>enabled</b>                                    |
| Version           | \$Id: dc76d2fe0f3e9c327c1d4ca617d94e26c7fae98d \$ |

## session

|                        |                |
|------------------------|----------------|
| <b>Session Support</b> | <b>enabled</b> |
|------------------------|----------------|

|                                |                                   |
|--------------------------------|-----------------------------------|
| Registered save handlers       | files user                        |
| Registered serializer handlers | php_serialize php php_binary wddx |

| Directive                        | Local Value                 | Master Value                |
|----------------------------------|-----------------------------|-----------------------------|
| session.auto_start               | Off                         | Off                         |
| session.cache_expire             | 180                         | 180                         |
| session.cache_limiter            | nocache                     | nocache                     |
| session.cookie_domain            | <i>no value</i>             | <i>no value</i>             |
| session.cookie_httponly          | Off                         | Off                         |
| session.cookie_lifetime          | 0                           | 0                           |
| session.cookie_path              | /                           | /                           |
| session.cookie_secure            | Off                         | Off                         |
| session.entropy_file             | <i>no value</i>             | <i>no value</i>             |
| session.entropy_length           | 0                           | 0                           |
| session.gc_divisor               | 1000                        | 1000                        |
| session.gc_maxlifetime           | 1440                        | 1440                        |
| session.gc_probability           | 1                           | 1                           |
| session.hash_bits_per_character  | 5                           | 5                           |
| session.hash_function            | 0                           | 0                           |
| session.name                     | PHPSESSID                   | PHPSESSID                   |
| session.referer_check            | <i>no value</i>             | <i>no value</i>             |
| session.save_handler             | files                       | files                       |
| session.save_path                | /tmp/                       | /tmp/                       |
| session.serialize_handler        | php                         | php                         |
| session.upload_progress.cleanup  | On                          | On                          |
| session.upload_progress.enabled  | On                          | On                          |
| session.upload_progress.freq     | 1%                          | 1%                          |
| session.upload_progress.min_freq | 1                           | 1                           |
| session.upload_progress.name     | PHP_SESSION_UPLOAD_PROGRESS | PHP_SESSION_UPLOAD_PROGRESS |
| session.upload_progress.prefix   | upload_progress_            | upload_progress_            |
| session.use_cookies              | On                          | On                          |
| session.use_only_cookies         | On                          | On                          |
| session.use_strict_mode          | Off                         | Off                         |
| session.use_trans_sid            | 0                           | 0                           |

## SimpleXML

|                   |   |
|-------------------|---|
| Simplexml support | enabled   |
| Revision          | \$Id: 6b8e23a01a85046737ef7d31346da5164505c179 \$ |
| Schema support    | enabled   |

## soap

|             |         |
|-------------|---------|
| Soap Client | enabled |
| Soap Server | enabled |

| Directive               | Local Value | Master Value |
|-------------------------|-------------|--------------|
| soap.wsdl_cache         | 1           | 1            |
| soap.wsdl_cache_dir     | /tmp        | /tmp         |
| soap.wsdl_cache_enabled | 0           | 0            |
| soap.wsdl_cache_limit   | 5           | 5            |
| soap.wsdl_cache_ttl     | 86400       | 86400        |

## SPL

|             |   |
|-------------|---|
| SPL support | enabled   |
| Interfaces  | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject  |
| Classes     | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

## sqlite3

|                 |         |
|-----------------|---------|
| SQLite3 support | enabled |
|-----------------|---------|

|                        |          |
|------------------------|----------|
| SQLite3 module version | 0.7-dev  |
| SQLite Library         | 3.8.10.2 |

| Directive             | Local Value | Master Value |
|-----------------------|-------------|--------------|
| sqlite3.extension_dir | no value    | no value     |

## standard

|                         |                     |
|-------------------------|---------------------|
| Dynamic Library Support | enabled             |
| Path to sendmail        | /usr/bin/mailfilter |

| Directive                | Local Value   | Master Value  |
|--------------------------|---|---|
| assert.active            | 1   | 1   |
| assert.bail              | 0   | 0   |
| assert.callback          | no value  | no value  |
| assert.quiet_eval        | 0   | 0   |
| assert.warning           | 1   | 1   |
| auto_detect_line_endings | 0   | 0   |
| default_socket_timeout   | 60  | 60  |
| from                     | no value  | no value  |
| url_rewriter.tags        | a=href,area=href,frame=src,input=src,form=fakeentry | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent               | no value  | no value  |

## suhosin

|  |  |     |
|--|--|-----|
| This server is protected with the Suhosin Extension 0.9.38   |  | 수호신 |
| Copyright (c) 2006-2007 <a href="#">Hardened-PHP Project</a> |  |     |
| Copyright (c) 2007-2015 <a href="#">SektionEins GmbH</a>     |  |     |

| Directive                                     | Local Value   | Master Value  |
|---|---------------|---------------|
| suhosin.apc_bug_workaround                    | Off           | Off           |
| suhosin.cookie.checkraddr                     | 0             | 0             |
| suhosin.cookie.cryptocroot                    | On            | On            |
| suhosin.cookie.cryptkey                       | [ protected ] | [ protected ] |
| suhosin.cookie.cryptlist                      | no value      | no value      |
| suhosin.cookie.cryptraddr                     | 0             | 0             |
| suhosin.cookie.cryptua                        | On            | On            |
| suhosin.cookie.disallow_nul                   | 1             | 1             |
| suhosin.cookie.disallow_ws                    | 1             | 1             |
| suhosin.cookie.encrypt                        | Off           | Off           |
| suhosin.cookie.max_array_depth                | 50            | 50            |
| suhosin.cookie.max_array_index_length         | 64            | 64            |
| suhosin.cookie.max_name_length                | 64            | 64            |
| suhosin.cookie.max_totalname_length           | 256           | 256           |
| suhosin.cookie.max_value_length               | 10000         | 10000         |
| suhosin.cookie.max_vars                       | 100           | 100           |
| suhosin.cookie.plainlist                      | no value      | no value      |
| suhosin.coredump                              | Off           | Off           |
| suhosin.disable.display_errors                | Off           | Off           |
| suhosin.executor.allow_symlink                | Off           | Off           |
| suhosin.executor.disable_emodifier            | Off           | Off           |
| suhosin.executor.disable_eval                 | Off           | Off           |
| suhosin.executor.eval.blacklist               | [ protected ] | [ protected ] |
| suhosin.executor.eval.custom_blacklist        | [ protected ] | [ protected ] |
| suhosin.executor.eval.custom_whitelist        | [ protected ] | [ protected ] |
| suhosin.executor.eval.whitelist               | [ protected ] | [ protected ] |
| suhosin.executor.func.blacklist               | [ protected ] | [ protected ] |
| suhosin.executor.func.whitelist               | [ protected ] | [ protected ] |
| suhosin.executor.include.allow_writable_files | On            | On            |
| suhosin.executor.include.blacklist            | no value      | no value      |
| suhosin.executor.include.max_traversal        | 0             | 0             |
| suhosin.executor.include.whitelist            | phar://       | phar://       |
| suhosin.executor.max_depth                    | 750           | 750           |
| suhosin.filter.action                         | no value      | no value      |
| suhosin.get.disallow_nul                      | 1             | 1             |
| suhosin.get.disallow_ws                       | 0             | 0             |
| suhosin.get.max_array_depth                   | 50            | 50            |
| suhosin.get.max_array_index_length            | 64            | 64            |
| suhosin.get.max_name_length                   | 64            | 64            |
| suhosin.get.max_totalname_length              | 256           | 256           |
| suhosin.get.max_value_length                  | 512           | 512           |

|  |                 |                 |
|--|-----------------|-----------------|
| suhosin.get.max_vars                   | 100             | 100             |
| suhosin.log.file                       | 511             | 511             |
| suhosin.log.file.name                  | <i>no value</i> | <i>no value</i> |
| suhosin.log.file.time                  | On              | On              |
| suhosin.log.phpscript                  | 0               | 0               |
| suhosin.log.phpscript.is_safe          | Off             | Off             |
| suhosin.log.phpscript.name             | <i>no value</i> | <i>no value</i> |
| suhosin.log.sapi                       | 0               | 0               |
| suhosin.log.script                     | 0               | 0               |
| suhosin.log.script.name                | <i>no value</i> | <i>no value</i> |
| suhosin.log.stdout                     | 0               | 0               |
| suhosin.log.syslog                     | <i>no value</i> | <i>no value</i> |
| suhosin.log.syslog.facility            | <i>no value</i> | <i>no value</i> |
| suhosin.log.syslog.priority            | <i>no value</i> | <i>no value</i> |
| suhosin.log.use-x-forwarded-for        | Off             | Off             |
| suhosin.mail.protect                   | 0               | 0               |
| suhosin.memory_limit                   | 0               | 0               |
| suhosin.mt_srand.ignore                | On              | On              |
| suhosin.multiheader                    | Off             | Off             |
| suhosin.perdir                         | 0               | 0               |
| suhosin.post.disallow_nul              | 1               | 1               |
| suhosin.post.disallow_ws               | 0               | 0               |
| suhosin.post.max_array_depth           | 50              | 50              |
| suhosin.post.max_array_index_length    | 64              | 64              |
| suhosin.post.max_name_length           | 64              | 64              |
| suhosin.post.max_totalname_length      | 256             | 256             |
| suhosin.post.max_value_length          | 1000000         | 1000000         |
| suhosin.post.max_vars                  | 1000            | 1000            |
| suhosin.protectkey                     | On              | On              |
| suhosin.rand.reseed_every_request      | Off             | Off             |
| suhosin.rand.seedingkey                | [ protected ]   | [ protected ]   |
| suhosin.request.array_index_blacklist  | ""+<>;()        | ""+<>;()        |
| suhosin.request.array_index_whitelist  | <i>no value</i> | <i>no value</i> |
| suhosin.request.disallow_nul           | 1               | 1               |
| suhosin.request.disallow_ws            | 0               | 0               |
| suhosin.request.max_array_depth        | 50              | 50              |
| suhosin.request.max_array_index_length | 64              | 64              |
| suhosin.request.max_totalname_length   | 256             | 256             |
| suhosin.request.max_value_length       | 1000000         | 1000000         |
| suhosin.request.max_varname_length     | 64              | 64              |
| suhosin.request.max_vars               | 1000            | 1000            |
| suhosin.server.encode                  | On              | On              |
| suhosin.server.strip                   | On              | On              |
| suhosin.session.checkraddr             | 0               | 0               |
| suhosin.session.cryptdocroot           | On              | On              |
| suhosin.session.cryptkey               | [ protected ]   | [ protected ]   |
| suhosin.session.cryptheadr             | 0               | 0               |
| suhosin.session.cryptua                | Off             | Off             |
| suhosin.session.encrypt                | Off             | Off             |
| suhosin.session.max_id_length          | 128             | 128             |
| suhosin.simulation                     | On              | On              |
| suhosin.sql.bailout_on_error           | Off             | Off             |
| suhosin.sql.comment                    | 0               | 0               |
| suhosin.sql.multiselect                | 0               | 0               |
| suhosin.sql.opencomment                | 0               | 0               |
| suhosin.sql.union                      | 0               | 0               |
| suhosin.sql.user_match                 | <i>no value</i> | <i>no value</i> |
| suhosin.sql.user_postfix               | <i>no value</i> | <i>no value</i> |
| suhosin.sql.user_prefix                | <i>no value</i> | <i>no value</i> |
| suhosin.srand.ignore                   | On              | On              |
| suhosin.stealth                        | On              | On              |
| suhosin.upload.disallow_binary         | 0               | 0               |
| suhosin.upload.disallow_elf            | 1               | 1               |
| suhosin.upload.max_newlines            | 100             | 100             |
| suhosin.upload.max_uploads             | 25              | 25              |
| suhosin.upload.remove_binary           | 0               | 0               |
| suhosin.upload.verification_script     | <i>no value</i> | <i>no value</i> |

## tokenizer

|                   |         |
|-------------------|---------|
| Tokenizer Support | enabled |
|-------------------|---------|

## wddx

|                         |                |
|-------------------------|----------------|
| <b>WDDX Support</b>     | <b>enabled</b> |
| WDDX Session Serializer | enabled        |

## xml

|                       |        |
|-----------------------|--------|
| XML Support           | active |
| XML Namespace Support | active |
| libxml2 Version       | 2.7.6  |

## xmlreader

|           |         |
|-----------|---------|
| XMLReader | enabled |
|-----------|---------|

## xmlrpc

|                       |                                   |
|-----------------------|-----------------------------------|
| core library version  | xmlrpc-epi v. 0.51                |
| php extension version | 0.51                              |
| author                | Dan Libby                         |
| homepage              | http://xmlrpc-epi.sourceforge.net |
| open sourced by       | Epinions.com                      |

## xmlwriter

|           |         |
|-----------|---------|
| XMLWriter | enabled |
|-----------|---------|

## xsl

|   |         |
|---|---------|
| XSL                                     | enabled |
| libxslt Version                         | 1.1.34  |
| libxslt compiled against libxml Version | 2.9.9   |
| EXSLT                                   | enabled |
| libexslt Version                        | 1.1.26  |

## zip

|                   |   |
|-------------------|---|
| Zip               | enabled   |
| Extension Version | \$Id: 57d060f4ff33b65935fb35c9950c3b3979486d58 \$ |
| Zip version       | 1.11.0  |
| Libzip version    | 0.10.1  |

## zlib

|                     |                            |
|---------------------|----------------------------|
| <b>ZLib Support</b> | <b>enabled</b>             |
| Stream Wrapper      | compress.zlib://           |
| Stream Filter       | zlib.inflate, zlib.deflate |
| Compiled Version    | 1.2.3                      |
| Linked Version      | 1.2.3                      |

| Directive                     | Local Value     | Master Value    |
|-------------------------------|-----------------|-----------------|
| zlib.output_compression       | Off             | Off             |
| zlib.output_compression_level | -1              | -1              |
| zlib.output_handler           | <i>no value</i> | <i>no value</i> |

## Additional Modules

| Module Name |
|-------------|
|-------------|

## Environment

| Variable | Value                         |
|----------|-------------------------------|
| SHELL    | /bin/sh                       |
| USER     | root                          |
| PATH     | /sbin:/usr/sbin:/bin:/usr/bin |



|         |                  |
|---------|------------------|
| PWD     | /root            |
| LANG    | cs_CZ.UTF-8      |
| HOME    | /root            |
| SHLV    | 2                |
| LOGNAME | root             |
| _       | /usr/sbin/chroot |

## PHP Variables

| Variable                        | Value                         |
|---------------------------------|-------------------------------|
| \$_SERVER["SHELL"]              | /bin/sh                       |
| \$_SERVER["USER"]               | root                          |
| \$_SERVER["PATH"]               | /sbin:/usr/sbin:/bin:/usr/bin |
| \$_SERVER["PWD"]                | /root                         |
| \$_SERVER["LANG"]               | cs_CZ.UTF-8                   |
| \$_SERVER["HOME"]               | /root                         |
| \$_SERVER["SHLV"]               | 2                             |
| \$_SERVER["LOGNAME"]            | root                          |
| \$_SERVER["_"]                  | /usr/sbin/chroot              |
| \$_SERVER["PHP_SELF"]           | <i>no value</i>               |
| \$_SERVER["REQUEST_TIME_FLOAT"] | 1665828003.0397               |
| \$_SERVER["REQUEST_TIME"]       | 1665828003                    |
| \$_SERVER["argv"]               | Array<br>(<br>)               |
| \$_SERVER["argc"]               | 0                             |

## PHP Credits

| PHP Group  |
|--|
| Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski |

| Language Design & Concept                                  |
|--|
| Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger |

| PHP Authors                         |   |
|-------------------------------------|---|
| Contribution                        | Authors   |
| Zend Scripting Language Engine      | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov       |
| Extension Module API                | Andi Gutmans, Zeev Suraski, Andrei Zmievski   |
| UNIX Build and Modularization       | Stig Bakken, Sascha Schumann, Jani Taskinen   |
| Windows Port                        | Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye                         |
| Server API (SAPI) Abstraction Layer | Andi Gutmans, Shane Caraveo, Zeev Suraski   |
| Streams Abstraction Layer           | Wez Furlong, Sara Golemon   |
| PHP Data Objects Layer              | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky |
| Output Handler                      | Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner                     |

| SAPI Modules              |  |
|---------------------------|--|
| Contribution              | Authors  |
| AOLserver                 | Sascha Schumann  |
| Apache 1.3 (apache_hooks) | Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle, Lukas Schroeder |
| Apache 1.3                | Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar                                       |
| Apache 2.0 Filter         | Sascha Schumann, Aaron Bannert   |
| Apache 2.0 Handler        | Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)                             |
| Caudium / Roxen           | David Hedbor   |
| CGI / FastCGI             | Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov                                    |
| CLI                       | Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui          |
| Continuity                | Alex Leigh (based on nsapi code)   |
| Embed                     | Edin Kadribasic  |
| FastCGI Process Manager   | Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet                                    |
| ISAPI                     | Andi Gutmans, Zeev Suraski   |
| litespeed                 | George Wang  |
| NSAPI                     | Jayakumar Muthukumarasamy, Uwe Schindler   |
| phttpd                    | Thies C. Arntzen   |
| pi3web                    | Holger Zimmermann  |
| Sendmail Militer          | Harald Radi  |
| thttpd                    | Sascha Schumann  |
| tux                       | Sascha Schumann  |

| Module Authors                    |   |
|-----------------------------------|---|
| Module                            | Authors   |
| BC Math                           | Andi Gutmans  |
| Bzip2                             | Sterling Hughes   |
| Calendar                          | Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong  |
| COM and .Net                      | Wez Furlong   |
| ctype                             | Hartmut Holzgraefe  |
| cURL                              | Sterling Hughes   |
| Date/Time Support                 | Derick Rethans  |
| DB-LIB (MS SQL, Sybase)           | Wez Furlong, Frank M. Kromann   |
| DBA                               | Sascha Schumann, Marcus Boerger   |
| DOM                               | Christian Stocker, Rob Richards, Marcus Boerger   |
| enchant                           | Pierre-Alain Joye, Ilia Alshanetsky   |
| ereg                              | Rasmus Lerdorf, Jim Winstead, Jaakko HyvÄtti   |
| EXIF                              | Rasmus Lerdorf, Marcus Boerger  |
| fileinfo                          | Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans   |
| Firebird/InterBase driver for PDO | Ard Biesheuvel  |
| FTP                               | Stefan Esser, Andrew Skalski  |
| GD imaging                        | Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger  |
| GetText                           | Alex Plotnick   |
| GNU GMP support                   | Stanislav Malyshev  |
| Iconv                             | Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi  |
| IMAP                              | Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky                           |
| Input Filter                      | Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky   |
| InterBase                         | Jouni Ahto, Andrew Avdeev, Ard Biesheuvel   |
| Internationalization              | Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar   |
| JSON                              | Omar Kilani, Scott MacVicar   |
| LDAP                              | Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas   |
| LIBXML                            | Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo   |
| mcrypt                            | Sascha Schumann, Derick Rethans   |
| MS SQL                            | Frank M. Kromann  |
| Multibyte String Functions        | Tsukada Takuya, Rui Hirokawa  |
| MySQL driver for PDO              | George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter  |
| MySQL                             | Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov   |
| MySQLi                            | Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel   |
| MySQLnd                           | Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlueter   |
| OCI8                              | Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation |
| ODBC driver for PDO               | Wez Furlong   |
| ODBC                              | Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky   |
| OpenSSL                           | Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar  |
| Oracle (OCI) driver for PDO       | Wez Furlong   |
| pcntl                             | Jason Greene, Amaud Le Blanc  |
| Perl Compatible Regexp            | Andrei Zmievski   |
| PHP Archive                       | Gregory Beaver, Marcus Boerger  |
| PHP Data Objects                  | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky   |
| PHP hash                          | Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar   |
| Posix                             | Kristian Koehntopp  |
| PostgreSQL driver for PDO         | Edin Kadribasic, Ilia Alshanetsky   |
| PostgreSQL                        | Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne   |
| Pspell                            | Vlad Krupin   |
| Readline                          | Thies C. Arntzen  |
| Recode                            | Kristian Koehntopp  |
| Reflection                        | Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter   |
| Sessions                          | Sascha Schumann, Andrei Zmievski  |
| Shared Memory Operations          | Slava Poliakov, Ilia Alshanetsky  |
| SimpleXML                         | Sterling Hughes, Marcus Boerger, Rob Richards   |
| SNMP                              | Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin   |
| SOAP                              | Brad Lafountain, Shane Caraveo, Dmitry Stogov   |
| Sockets                           | Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene   |

|                                   |  |
|-----------------------------------|--|
| <b>SPL</b>                        | Marcus Boerger, Etienne Kneuss   |
| <b>SQLite 3.x driver for PDO</b>  | Wez Furlong  |
| <b>SQLite3</b>                    | Scott MacVicar, Iliia Alshanetsky, Brad Dewar                                  |
| <b>Sybase-CT</b>                  | Zeev Suraski, Tom May, Timm Friebe   |
| <b>System V Message based IPC</b> | Wez Furlong  |
| <b>System V Semaphores</b>        | Tom May  |
| <b>System V Shared Memory</b>     | Christian Cartus   |
| <b>tidy</b>                       | John Coggeshall, Iliia Alshanetsky   |
| <b>tokenizer</b>                  | Andrei Zmievski, Johannes Schlueter  |
| <b>WDDX</b>                       | Andrei Zmievski  |
| <b>XML</b>                        | Stig Bakken, Thies C. Arntzen, Sterling Hughes                                 |
| <b>XMLReader</b>                  | Rob Richards   |
| <b>xmlrpc</b>                     | Dan Libby  |
| <b>XMLWriter</b>                  | Rob Richards, Pierre-Alain Joye  |
| <b>XSL</b>                        | Christian Stocker, Rob Richards  |
| <b>Zip</b>                        | Pierre-Alain Joye  |
| <b>Zlib</b>                       | Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner |

| <b>PHP Documentation</b>     |   |
|------------------------------|---|
| <b>Authors</b>               | Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter, Damien Seguy, Jakub Vrana |
| <b>Editor</b>                | Philip Olson  |
| <b>User Note Maintainers</b> | Daniel P. Brown, Thiago Henrique Pojda  |
| <b>Other Contributors</b>    | Previously active authors, editors and other contributors are listed in the manual.                                 |

| <b>PHP Quality Assurance Team</b>  |  |
|--|--|
| Iliia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra |  |

| <b>Websites and Infrastructure team</b> |  |
|---|--|
| <b>PHP Websites Team</b>                | Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen |
| <b>Event Maintainers</b>                | Damien Seguy, Daniel P. Brown  |
| <b>Network Infrastructure</b>           | Daniel P. Brown  |
| <b>Windows Infrastructure</b>           | Alex Schoenmaker   |

## PHP License

|  |
|--|
| This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE |
| This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.            |
| If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact <a href="mailto:license@php.net">license@php.net</a> .                             |